

**Claims:**

1. An apparatus that transmits content organized into channels,  
2 wherein a channel's content includes a plurality of URL data items and each  
URL data item is addressed by a URL, the system comprising:  
4 means for assigning one or more multicast addresses to each channel;  
means for scheduling the assembling of a channel's content;  
6 means for assembling the channel's content;  
means for fragmenting the channel's content into packets, wherein each  
8 packet is addressed with one of the channel's multicast addresses; and  
means for multicasting the packets.

2. The apparatus of claim 1, wherein the means for multicasting the  
2 packets includes means for transmitting the packets to a multicast receiver of a  
multicast network.

3. The apparatus of claim 1, further comprising means for encrypting  
2 a subset of a channel's packets prior to multicasting, wherein the encryption  
means encrypts either all or a part of the packet and wherein each channel's  
4 packets are encrypted with a set of encryption keys which are unique to that  
channel.

4. The apparatus of claim 3, further comprising:  
2 means for receiving requests from a receiver of the multicast for access  
to a channel's packets,  
4 means for mapping the requested channel to the multicast addresses  
that carry the channel's packets, and  
6 means for requesting authorization for the receiver to access the  
requested channel's packets.

5. The apparatus of claim 4, further comprising means for  
2 authenticating the requests to ensure that the requests originated from the  
receiver for which access is being requested.

6. The apparatus of claim 2, wherein the multicast network is a  
2 geosynchronous satellite digital TV broadcast system.

7. The apparatus of claim 1, wherein the multicast network is a one-  
2 way cable TV network.

8. The apparatus of claim 1, wherein the multicast network is a  
2 digital video broadcast (DVB) network.

9. The apparatus of claim 1, wherein the packets are multicast to a  
2 plurality of receivers.

10. The apparatus of claim 9, wherein a channel's content includes  
2 indexing information which allows URL data items contained within the  
channel's content to be quickly looked up by the receiver which receives the  
4 channel's content.

11. The apparatus of claim 10, wherein the channel's content further  
2 includes a data structure containing each domain name present in the URLs of  
the URL data items within the channel's content.

12. The apparatus of claim 9, further comprising a conditional access  
2 system for controlling each receiver's access to packets, wherein each receiver  
can only access packets which contain multicast addresses which the  
4 conditional access system has authorized the receiver to access.

13. The apparatus of claim 12, wherein the means for multicasting  
the packets is a geosynchronous satellite digital TV broadcast earth station.

14 The apparatus of claim 12, further comprising:  
means for receiving requests from the receivers to obtain access to a  
channel's packets,  
means for mapping the requested channel to the multicast addresses  
that carry the channel's packets, and  
means for authorizing the receivers' access to a channel's packets in  
response to the receivers' request for access.

15. The apparatus of claim 13, wherein a channel's content includes  
indexing information which allows URL data items contained within the  
channel's content to be quickly looked up by the receiver which receives the  
channel's content, the system further comprising:  
means for scheduling a configurable number of retransmissions of the  
channel's previously assembled content;  
means for fragmenting and multicasting the channel's content according  
to the schedule; and  
means for specifying the transmission rate of the channel's content,  
wherein the packets containing the channel's content are multicast at the  
specified rate.

16. The apparatus of claim 13, further comprising means for  
compressing a subset of the URL data items, wherein each URL data item is  
compressed individually independent of other URL data items such that each  
compressed URL data item can be decompressed without decompressing other  
URL data items.

17. The apparatus of claim 16, wherein the URL data items are  
compressed with a lossless data compression algorithm.

18. The apparatus of claim 1, further comprising:  
means for scheduling a configurable number of retransmissions of a  
channel's previously assembled content, and  
means for fragmenting and multicasting the channel's content according  
to the schedule.

19. The apparatus of claim 18, further comprising means for  
specifying a transmission rate of a channel's content, wherein the packets  
containing the channel's content are multicast at the specified rate.

20. The apparatus of claim 19, further comprising:  
means for assigning one or more multicast addresses to an  
announcement packet, wherein the announcement packet includes an  
announcement of an upcoming transmission of a channel's content; and  
means for multicasting the announcement packet prior to the multicast  
of the packets containing the channel's content.

21. The apparatus of claim 19, wherein the channel's content  
includes a data structure containing each domain name present in the URLs of  
the URL data items within the channel's content.

22. The apparatus of claim 19, wherein the packets are multicast to a  
plurality of receivers and wherein a channel's content includes indexing  
information which allows URL data items contained within the channel's  
content to be quickly looked up by the receiver which receives the channel's  
content.

23. The apparatus of claim 22, wherein the channel's content further  
2 includes a data structure containing each domain name present in the URLs of  
the URL data items within the channel's content.

24. The apparatus of claim 1, wherein a channel's content includes a  
2 data structure containing each domain name present in the URLs of the URL  
data items within the channel's content.

25. The apparatus of claim 1, wherein the means for assembling the  
2 channel's content further comprises:

means for assembling a base package of the channel's content, wherein  
4 the base package contains each URL data item in the channel; and

means for assembling a delta package of the channel's content, wherein  
6 the delta package contains URL data items which have changed or are new  
since the previous assembling of the base package.

26. An apparatus that transmits content organized into channels,  
wherein a channel's content includes a plurality of URL data items and each  
URL data item is addressed by a URL, the apparatus comprising:  
means for scheduling the assembling of a channel's content;  
means for assembling the channel's content;  
means for compressing a subset of the URL data items, wherein each  
URL data item is compressed individually independent of other URL data items  
such that each compressed URL data item can be decompressed without  
decompressing other URL data items;  
means for fragmenting the channel's content into packets; and  
means for multicasting the packets.

27. The apparatus of claim 26, wherein the URL data items are  
compressed with a lossless data compression algorithm.

28. The apparatus of claim 26, wherein the means for assembling the  
channel's content further comprises:  
means for assembling a base package of the channel's content, wherein  
the base package contains each URL data item in the channel; and  
means for assembling a delta package of the channel's content, wherein  
the delta package contains URL data items which have changed or are new  
since the previous assembling of the base package.

29. The apparatus of claim 28, wherein the means for scheduling the  
assembling of the channel's content comprises means for scheduling the  
assembling of the base package and means for scheduling the assembling of the  
delta package.

30. The apparatus of claim 28, further comprising means for  
2 difference compressing a subset of the URL data items in a channel's content  
which is present in both the delta package and the previous base package.

31. The apparatus of claim 30, wherein the difference compression  
2 means further comprises:

means for dividing a URL data item in the delta package into sections;  
4 and

for each section, means for placing into a compressed version of the  
6 URL data item, one of a reference to where that section can be found in the  
base package, or the section of URL data item from the delta package.

32. The apparatus of claim 28, further comprising means for  
2 assembling a second delta package which contains a subject of the URL data  
items which have changed or are new since the assembling of the previous delta  
4 package.

33. The apparatus of claim 26, further comprising means for  
2 encrypting a subset of a channel's packets prior to transmission, wherein the  
encryption means encrypts either all or part of the packet and wherein each  
4 channel's packets are encrypted with a set of encryption keys which are unique  
to that channel.

34. An apparatus that transmits content organized into channels,  
wherein a channel's content includes a plurality of URL data items and each  
URL data item is addressed by a URL, the apparatus comprising:  
means for assembling a base package of a channel's content, wherein  
the base package contains each URL data item in the channel;  
means for fragmenting the base package into packets;  
means for multicasting the base package packets to a plurality of  
receivers;  
means for assembling a delta package of a channel's content, wherein  
the delta package contains URL data items which have changed or are new  
since the previous assembling of the base package;  
means for fragmenting the delta package into packets; and  
means for multicasting the delta package packets to the plurality of  
receivers.

35. The apparatus of claim 34, wherein some of the receivers  
comprise a personal computer.

36. The system of claim 34, wherein some of the receivers comprise  
a set top box.

37. The apparatus of claim 34, further comprising means for  
scheduling the assembling of base packages and delta packages, wherein the  
base packages and delta packages are assembled according to the schedule.

38. The apparatus of claim 34, further comprising means for  
scheduling the multicast transmission of base package packets and for  
scheduling subsequent periodic multicast transmission of delta package  
packets, wherein the base package packets and delta package packets are  
multicast according to the schedule.



2 39. The apparatus of claim 38, wherein base package packets are scheduled for transmission at a time when the receiver is not likely to be in use for other applications.

2 40. The apparatus of claim 39, wherein the base package packets are scheduled for transmission late at night or early in the morning.

2 41. The apparatus of claim 34, further comprising means for compressing a subset of the URL data items in the base and delta packages, wherein each URL data item is compressed individually independent of other  
4 URL data items such that each compressed URL data item can be decompressed without decompressing other URL data items.

2 42. The apparatus of claim 41, wherein the URL data items are compressed with a lossless data compression algorithm.

2 43. The apparatus of claim 41, further comprising means for difference compressing a subset of the URL data items that are present in both in the delta package and the previous base package.

2 44. The apparatus of claim 43, wherein the difference compression means further comprises:

4 means for dividing a URL data item in the delta package into sections;  
and

6 for each section, means for placing into a compressed version of the URL data item, one of a reference to where that section can be found in the base package, or the section of URL data item from the delta package.

2 45. The apparatus of claim 44, further comprising means for  
compressing a subset of the previously difference compressed URL data item  
with a lossless data compression algorithm.

2 46. The apparatus of claim 34, further comprising means for  
assembling a second delta package which contains URL data items which have  
changed since the assembling of the previous delta package.

47. An apparatus that transmits content organized into channels,  
2 wherein a channel's content includes a plurality of URL data items and each  
URL data item is addressed by a URL, the apparatus comprising:  
4 means for scheduling the assembling of a channel's content;  
means for assembling the channel's content according to the schedule;  
6 means for fragmenting the channel's content into packets;  
means for multicasting the packets to a plurality of receivers, wherein  
8 each receiver stores the received channel's content in a receiver memory; and  
means for receiving usage reports from each receiver, wherein each  
10 usage report identifies a subset of URL data items from the stored URL data  
items that was accessed from the receiver memory.

48. The apparatus of claim 47, further comprising means for  
2 organizing the received usage reports by channel.

49. The apparatus of claim 47, wherein each usage report contains  
2 information identifying a subset of URL data items delivered to a web browser.

50. The apparatus of claim 47, wherein the usage reports comprise a  
2 set of files and wherein the URL data items accessed for each channel is  
referenced in one set of files.

51. The apparatus of claim 47, wherein the usage reports contain  
2 information identifying each URL data item, from the stored URL data items,  
being delivered to a web browser.

52. The apparatus of claim 50, wherein usage reporting is performed  
2 on a subset of a channel's URL data items and the files contain a separate  
record for each time a usage reported URL data item was delivered to a web  
4 browser, wherein the record identifies the URL of the URL data item.

6 53. The apparatus of claim 52, wherein the record identifies when the URL data item was delivered to the web browser.

2 54. The apparatus of claim 52, wherein the record contains a field uniquely identifying the user that accessed the URL data item.

2 55. The apparatus of claim 54, wherein the field uniquely identifying the user does not specify the identity of the user.

2 56. The apparatus of claim 54, wherein the field uniquely identifying the user specifies the identity of the user.

2 57. The apparatus of claim 47, wherein a channel's content is assembled from a web server and further comprising means for notifying the web server from which a URL data item was assembled that the URL data item was accessed by a user.

2 58. The apparatus of claim 57, wherein the web server is notified that the URL data item was accessed by a user by notifying the web server that the URL data item was delivered to a browser.

2 59. The apparatus of claim 57, wherein the web server is notified that the URL data item was accessed by initiating an HTTP GET operation for the URL data item.

2 60. The apparatus of claim 57, wherein the web server is notified of multiple accesses of multiple URL data items by initiating an HTTP PUT operation.

2 61. The apparatus of claim 57, wherein the web server is notified of multiple accesses of multiple URL data items by initiating an HTTP POST operation.

2 62. The apparatus of claim 57, wherein the web server is notified that the URL data item was accessed by e-mail, and wherein multiple accesses of multiple URL data items is reported in one e-mail.

2 63. The apparatus of claim 47, further comprising means for compressing a subset of the URL data items;  
4 means for compressing a subset of the URL data items, wherein each URL data item is compressed individually independent of other URL data item such that each compressed URL data item can be decompressed without  
6 decompressing other URL data items;

2 64. A method for multicasting content organized into channels, wherein a channel's content includes a plurality of URL data items and each URL data item is addressed by a URL, the method comprising the steps of:  
4 assigning one or multicast addresses to each channel;  
scheduling the assembling of each channel's content;  
6 assembling each channel's content according to the schedule;  
fragmenting each channel's content into packets, wherein each packet is  
8 addressed with one of the channel's multicast addresses; and  
transmitting the packets via a multicast network to a plurality of  
10 receivers.

2 65. The method of claim 64, further comprising encrypting a subset of a channel's packets prior to transmitting the packets, wherein either all or a part of the packet are encrypted and wherein each channel's packets are  
4 encrypted with a set of encryption keys which are unique to that channel.

66. The method of claim 65, further comprising the steps of:  
6 receiving requests from the receivers for access to a channel's packets;  
mapping the requested channel to the multicast addresses that carry the  
8 channel's packets; and  
requesting authorization from the multicast network for the receiver to  
10 access the requested channel's packets.

67. The method of claim 66, further comprising the step of  
2 authenticating the requests to ensure that the requests originated from the  
receiver for which access is being requested.

68. The method of claim 64, wherein a channel's content includes  
2 indexing information which allows URL data items contained within the  
channel's content to be quickly looked up by the receiver which receives the  
4 channel's content.

69. The method of claim 68, wherein the channel's content further  
2 includes a data structure containing each domain name present in the URLs of  
the URL data items within the channel's content.

70. The method of claim 68, wherein a channel's content includes  
2 indexing information which allows URL data items contained within the  
channel's content to be quickly looked up by the receiver which receives the  
4 channel's content, the method further comprising the steps of:  
scheduling a configurable number of retransmissions of the channel's  
6 previously assembled content;  
specifying a transmission rate of the channel's content; and  
8 fragmenting and transmitting the channel's content to the receivers  
according to the schedule at the specified transmission rate.

71. The method of claim 65, further comprising the step of  
compressing a subset of the URL data items, wherein each URL data item is  
compressed individually independent of other URL data items such that each  
compressed URL data item can be decompressed without decompressing other  
URL data items.

72. The method of claim 71, wherein the URL data items are  
compressed with a lossless data compression algorithm.

73. The method of claim 64, further comprising the steps of:  
scheduling a configurable number of retransmissions of a channel's  
previously assembled content; and  
fragmenting and transmitting the channel's content to the receivers  
according to the schedule.

74. The method of claim 73, further comprising the step of specifying  
a transmission rate of a channel's content, wherein the packets containing the  
channel's content are transmitted at the specified rate.

75. The method of claim 73, further comprising the steps of:  
assigning one or more multicast addresses to an announcement packet,  
wherein the announcement packet includes an announcement of an upcoming  
transmission of a channel's content; and  
transmitting the announcement packet to the receivers prior to  
transmitting the packets containing the channel's content.

76. The method of claim 64, wherein the step of assembling the  
2 channel's content further comprises:  
assembling a base package of the channel's content, wherein the base  
4 package contains each URL data item in the channel; and  
assembling a delta package of the channel's content, wherein the delta  
6 package contains URL data items which have changed or are new since the  
previous assembling of the base package.



77. A method for transmitting content organized into channels,  
wherein a channel's content includes a plurality of URL data items and each  
URL data item is addressed by a URL, the method comprising the steps of:  
scheduling the assembling of a channel's content;  
assembling the channel's content according to the schedule;  
compressing a subset of the URL data items, wherein each URL data  
item is compressed individually independent of other URL data items such that  
each compressed URL data item can be decompressed without decompressing  
other URL data items;  
fragmenting the channel's content into packets; and  
multicasting the packets via a multicast network to a plurality of  
receivers.

78. The method of claim 77, wherein the URL data items are  
compressed with a lossless data compression algorithm.

79. The method of claim 77, wherein the step of assembling the  
channel's content further comprises the steps of:  
assembling a base package of the channel's content, wherein the base  
package contains each URL data item in the channel; and  
assembling a delta package of the channel's content, wherein the delta  
package contains URL data items which have changed or are new since the  
previous assembling of the base package.

80. The method of claim 79, wherein the step of scheduling the  
assembling of the channel's content comprises scheduling the assembling of the  
base package and scheduling the assembling the delta package.

2 81. The method of claim 80, further comprising the step of difference  
compressing a subset of the URL data items in a channel's content which is  
present in both the delta package and the previous base package.

2 82. The method of claim 81, wherein the step of difference  
compressing further comprises the steps of.  
dividing a URL data item in the delta package into sections; and  
4 for each section, placing into a compressed version of the URL data  
item, one of a reference to where that section of content can be found in the  
6 base package, or the section of the URL data item from the delta package.

2 83. The method of claim 82, wherein the reference to where the  
section of URL data item can be found in the base package is an offset from a  
beginning of the URL to a first byte and an offset to a last byte being  
4 referenced

2 84. The method of claim 79, further comprising the step of  
assembling a second delta package which contains URL data item which has  
changed since the assembling of the previous delta package.

2 85. The method of claim 77, further comprising the step of  
encrypting a subset of a channel's packets prior to transmission, wherein either  
all or part of the packet are encrypted and wherein each channel's packets are  
4 encrypted with a set of encryption keys which are unique to that channel.

86 A method for transmitting content organized into channels,  
2 wherein a channel's content includes a plurality of URL data items and each  
URL data item is addressed by a URL, the system comprising:  
4 assembling a base package of a channel's content, wherein the base  
package contains each URL data item in the channel;  
6 fragmenting the base package into packets,  
multicasting the base package packets to a plurality of receivers;  
8 assembling a delta package of a channel's content, wherein the delta  
package contains URL data items which have changed or are new since the  
10 previous assembling of the base package;  
fragmenting the delta package into packets; and  
12 multicasting the delta package packets to the plurality of receivers.

87. The method of claim 86, further comprising the step of  
2 scheduling the assembling of base packages and delta packages, wherein the  
base packages and delta packages are assembled according to the schedule.

88. The method of claim 86, further comprising the step of  
2 scheduling the multicast transmission of base package packets and for  
scheduling subsequent periodic multicast transmission of delta package  
4 packets, wherein the base package packets and delta package packets are  
multicast according to the schedule.

89. The method of claim 88, wherein base package packets are  
2 scheduled for transmission at a time when the receiver is not likely to be in use  
for other applications.

2 90. The method of claim 86, further comprising the step of  
compressing a subset of the URL data items in the base and delta packages,  
4 wherein each URL data item is compressed individually independent of other  
URL data items such that each compressed URL data item can be  
decompressed without decompressing other URL data items.

2 91. The method of claim 90, wherein the URL data items are  
compressed with a lossless data compression algorithm.

2 92. The method of claim 90, further comprising the step of difference  
compressing a subset of the URL data items which are present in both in the  
delta package and the previous base package.

2 93. The method of claim 92, wherein the step of difference  
compressing further comprises:  
4 dividing a URL data item in the delta package into sections; and  
for each section, placing into a compressed version of the URL data  
item, one of a reference to where that section can be found in the base package,  
or the section of the URL data item from the delta package.

2 94. The method of claim 93, wherein the reference to where the  
section of URL data item can be found in the base package is an offset from a  
beginning of the URL to a first byte and an offset to a last byte being  
4 referenced.

2 95. The method of claim 93, further comprising compressing a subset  
of the previously difference compressed URL data items with a lossless data  
compression algorithm.

- 2 96. The method of claim 86, further comprising the step of assembling a second delta package that contains URL data items that have changed since the assembling of the previous delta package.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225  
2226  
2227  
2228  
2229  
2230  
2231  
2232  
2233  
2234  
2235  
2236  
2237

97. A method for transmitting content organized into channels,  
2 wherein a channel's content includes a plurality of URL data items and each  
URL data item is addressed by a URL, the method comprising the steps of:  
4 scheduling the assembling of a channel's content;  
assembling the channel's content according to the schedule,  
6 fragmenting the channel's content into packets;  
multicasting the packets to a plurality of receivers, wherein each  
8 receiver stores the received channel's content in a receiver memory; and  
receiving usage reports from each receiver, wherein each usage report  
10 identifies a subset of URL data items from the stored URL data items that was  
accessed from the receiver memory.

98. The method of claim 97, further comprising the step of  
2 organizing the received usage reports by channel.

99. The method of claim 97, wherein each usage report contains  
2 information identifying a subset of URL data items delivered to a web browser.

100. The method of claim 97, wherein the usage reports comprise a  
2 set of files, and wherein the URL data item accessed for each channel is  
referenced in one set of files.

101. The method of claim 97, wherein the usage reports contain  
2 information identifying each URL data item, from the stored URL data items,  
being delivered to a web browser.

102. The method of claim 100, further comprising the step of  
2 performing usage reporting on a subset of a channel's URL data items and  
wherein the files contain a separate record for each time a usage reported URL  
4 data item was delivered to the web browser, and wherein the record identifies  
the URL of the URL data item.

103. The method of claim 102, wherein the record identifies when  
2 the URL data item was delivered to the web browser.

104. The method of claim 102, wherein the record contains a field  
2 uniquely identifying the user that accessed the URL data item.

105. The method of claim 104, wherein the field uniquely identifying  
2 the user does not specify the identity of the user.

106. The method of claim 104, wherein the field uniquely identifying  
2 the user specifies the identity of the user.

107. The method of claim 97, wherein a channel's content is  
2 assembled from a web server and further comprising the step of notifying the  
web server from which a URL data item was assembled that the URL data item  
4 was accessed by a user.

108. The method of claim 107, wherein the web server is notified  
2 that the URL data item was accessed by a user by notifying the web server that  
the URL data item was delivered to a browser.

109. The method of claim 107, wherein the web server is notified  
2 that the URL data item was accessed by initiating an HTTP GET operation for  
the URL data item.

110 The method of claim 107, wherein the web server is notified of  
2 multiple accesses of multiple URL data items by initiating an HTTP PUT  
operation.

111. The method of claim 107, wherein the web server is notified of  
2 multiple accesses of multiple URL data items by initiating an HTTP POST  
operation.

112. The method of claim 107, wherein the web server is notified  
2 that the URL data item was accessed by e-mail, and wherein multiple accesses  
of multiple URL data item is reported in one e-mail.

113. The method of claim 97, further comprising the step of  
2 compressing a subset of the URL data items, wherein each URL data item is  
compressed individually independent of other URL data items such that each  
4 compressed URL data item can be decompressed without decompressing other  
URL data items.



114. A receiver for receiving from a multicast network content  
organized into channels, wherein a channel's content includes a plurality of  
URL data items and each URL data item is addressed by a URL, and wherein  
the multicast network transmits the channel's content to the receiver in packets,  
the receiver comprising:  
means for determining a multicast address used to carry a channel's  
packets;  
means for enabling reception of packets containing a channel's  
multicast address;  
means for receiving the packets containing a channel's multicast  
address;  
means for assembling the received packets into a channel's content;  
means for storing the channel's content; and  
means for allowing a user to access the stored channel's content.

115. The receiver of claim 114, wherein some of the received packets  
are wholly or partially encrypted and the receiver further comprises means for  
decrypting the encrypted packets using a decrypting key unique to the channel.

116. The receiver of claim 114, wherein the receiver is only  
authorized to receive selected packets.

117. The receiver of claim 114, wherein the channel's content is  
stored in a single file.

118. The receiver of claim 114, wherein the channel's content is  
stored in a number of files, and wherein the number of files is less than the total  
number of URL data items in the channel.

119. The receiver of claim 114, further comprising means for  
2 allowing the user to designate the channels to be received.

120. The receiver of claim 119, further comprising means for only  
2 receiving the user designated channels.

121. The receiver of claim 120, further comprising means for  
2 displaying to the user the set of channels which can be received.

122. The receiver of claim 121, further comprising means for  
2 receiving an electronic program guide channel, wherein the content of the  
electronic program guide channel includes channel selection information  
4 allowing the user to evaluate which channels the receiver should receive.

123. The receiver of claim 122, further comprising means for  
2 receiving updates for the electronic program guide channel.

124. The receiver of claim 122, wherein the channel selection  
2 information in the electronic program guide channel includes a schedule for  
when the content of the channels will be transmitted.

125. The receiver of claim 122, wherein the channel selection  
2 information in the electronic program guide channel includes an amount of  
memory space needed to store the channel's content.

126. The receiver of claim 114, further comprising means for  
2 determining whether all the packets for a channel have been received.

127. The receiver of claim 126, wherein the multicast network  
2 transmits packets to the receiver more than once and further comprising means  
for determining which packets for a channel were not received and assembling  
4 the channel's missing packets from the retransmitted packets.

128. The receiver of claim 114, wherein the receiver comprises a  
2 personal computer.

129. The receiver of claim 114, wherein the receiver comprises a set  
2 top box.

130. The receiver of claim 114, wherein the receiver is integrated  
2 with a digital television.

131. The receiver of claim 114, further comprising:  
2 means for determining when a URL data item requested to be accessed  
by the user is not present within the stored channel content,  
4 means for notifying the user that the requested URL data item is not  
present within the stored channel content, and  
6 means for allowing the user to access the non-present URL data item  
via a connection to a TCP/IP network.

132. The receiver of claim 131, wherein the TCP/IP network  
2 comprises the Internet.

133. The receiver of claim 131, further comprising means for  
2 soliciting the user whether to access the non-present URL data item via the  
connection to the TCP/IP network..

2 134 The receiver of claim 132, wherein the multicast network is a geosynchronous satellite broadcast system and wherein the connection to the Internet is a dial-up modem.

2 135. The receiver of claim 114, further comprising means for tracking each time the user accesses URL data items in the stored channel content.

2 136. The receiver of claim 135, further comprising means for reporting the tracked user accesses to a web site from which the accessed URL data items were assembled.

2 137. The receiver of claim 114, wherein the packet receiving means monitors receiver activity and selectively receives packets based on the monitored activity.

2 138. The receiver of claim 114, further comprising means for soliciting the user to determine when packets should be received and wherein the packet receiving means selectively receives packets based on user preferences.  
4

139. A receiver for receiving from a multicast network content  
organized into channels, wherein a channel's content includes a plurality of  
URL data items and each URL data item is addressed by a URL, and wherein  
the multicast network transmits the channel's content to the receiver in packets,  
the receiver comprising:

means for determining a multicast address used to carry a channel's  
packets;

means for enabling reception of packets containing a channel's  
multicast address;

means for receiving the packets containing a channel's multicast  
address;

means for assembling the received packets into a channel's content;

means for storing the channel's content;

means for allowing a user to access the stored channel's content; and

means for individually decompressing each compressed URL data item  
in the stored channel content at a time when the user accesses the URL data  
item.

140 The receiver of claim 139, wherein the URL data item is  
decompressed a first time the user access the URL data item and further  
comprising means for storing the decompressed URL data item.

141. The receiver of claim 139, wherein the URL data item is  
decompressed each time a user access the URL data item.

142. The receiver of claim 139, wherein the multicast network  
transmits a channel's content in base package packets and delta package  
packets, and the means for assembling the base package packets into a  
complete base package and assembling the delta package packets into a  
complete delta package.

2 143 The receiver of claim 142, wherein the means for storing the  
channel's content stores the complete base package for the channel and the  
complete delta package for the channel.

2 144. The receiver of claim 142, wherein the means for allowing a user  
to access the stored channel's content provides the user with a URL data item  
4 from a delta package when the URL data item is present in a delta package and  
provides the user a URL data item from a base package when the URL data  
item is not present in a delta package.

145. A receiver in a multicast system, comprising:  
2 means for receiving URL data items from a multicast network;  
means for storing the received URL data items;  
4 means for allowing a user to access the stored URL data items; and  
means for tracking user access to the stored URL data items

146. The receiver of claim 145, wherein the URL data items are  
2 assembled from a web site and further comprising means for reporting the  
tracked user access to the web site.

147. The receiver of claim 145, wherein the tracking means includes  
2 means for counting a number of times the user accesses a subset of the stored  
URL data items.

148. The receiver of claim 145, further comprising:  
2 means for determining when a URL data item requested to be accessed  
by the user is not present within the stored URL data items,  
4 means for notifying the user that the requested URL data item is not  
present within the stored URL data items, and  
6 means for allowing the user to access the non-present URL data item  
via a connection to a TCP/IP network.

149. The receiver of claim 148, further comprising means for  
2 soliciting the user whether to access the non-present URL data item via the  
connection to the TCP/IP network.

150. The receiver of claim 148, wherein the multicast network is a  
2 geosynchronous satellite broadcast system and wherein the connection to the  
TCP/IP network is a dial-up modem.

151. A receiver in a multicast system, comprising:  
2 means for monitoring receiver activity; and  
means for selectively receiving content from a multicast network,  
4 wherein the content is selectively received based on the monitored receiver  
activity

152. The receiver of claim 151, wherein the monitoring means  
2 monitors whether any other applications are currently active on the receiver.

153. The receiver of claim 151, wherein the monitoring means  
2 monitors utilization of a receiver memory.

154. The receiver of claim 151, wherein the monitoring means  
2 monitors user activity on an input device of the receiver.

155. The receiver of claim 154, wherein the receiver is a personal  
2 computer and the user activity comprises keystrokes on a keyboard input  
device.

156. The receiver of claim 154, wherein the receiver is a personal  
2 computer and the user activity comprises clicks on a mouse input device.

157. The receiver of claim 156, wherein the user activity further  
2 comprises keystrokes on a keyboard input device.

158. The receiver of claim 151, further comprising means for  
2 soliciting a user to specify when content should be received and wherein the  
receiving means receives content based on the user specifications.



2 159. The receiver of claim 158, wherein the user specifications include time of day when content should be received.

2 160. The receiver of claim 158, wherein the content comprises base  
2 packages and delta packages and the user specifications includes a first time  
period when base packages can be received and a second time period when  
4 delta packages can be received.

2 161. The receiver of claim 151, further comprising means for  
suspending reception of content when the monitoring means determines that  
reception will interfere with other receiver activity.

2 162. The receiver of claim 161, further comprising means for  
automatically enabling reception of content after the monitoring means  
determines that reception will not interfere with other receiver activity.

2 163. The receiver of claim 161, further comprising means for  
automatically enabling reception at a time of day when reception will most  
likely not interfere with other receiver activity.

2 164. The receiver of claim 161, wherein the monitoring means  
determines that reception will not interfere with other activity by monitoring  
user activity on an input device of the receiver.

2 165. The receiver of claim 164, wherein the receiver is a personal  
computer and the user activity comprises clicks on a mouse input device.

166. A receiver in a multicast system, comprising:  
2 a package receiver for receiving packets containing URL data items  
from a multicast network and assembling the received packets into a channel,  
4 wherein the channel comprises a set of URL data items;  
a memory for storing the channel; and  
6 a content viewer for allowing a user to request access to and access the  
URL data items in the stored channel.

167. The receiver of claim 166, further comprising a browser for  
2 searching the memory for URL data items requested by the user.

168. The receiver of claim 166, wherein the receiver comprises a  
2 personal computer.

169. The receiver of claim 166, wherein the receiver comprises a set  
2 top box.

170. The receiver of claim 166, wherein the receiver is integrated  
2 with a digital television.

171. The receiver of claim 166, wherein the packets received from  
2 the multicast network are encrypted and the package receiver decrypts the  
packets.

172 A system for multicasting URL data items from web sites to a  
2 plurality of receivers, comprising:  
a web crawler for retrieving URL data items from the web sites and  
4 formatting the retrieved URL data items into packages;  
a package delivery subsystem for receiving the packages from the web  
6 crawler, fragmenting the packages into packets and transmitting the packets to  
a multicast network; and  
8 a conditional access system for determining which receivers are  
authorized to receive the packets, wherein the multicast network multicasts the  
10 packets only to authorized receivers.

173. The system of claim 172, wherein the web crawler retrieves  
2 URL data items from the web sites according to a predetermined channel  
definition.

174. The system of claim 172, wherein the multicast network  
2 multicasts an electronic program guide to each receiver, and wherein the  
electronic program guide contains descriptions of the web sites from which  
4 URL data items were retrieved.

175. The system of claim 174, wherein a receiver uses the electronic  
2 program guide to subscribe to selected web sites and the system further  
comprises a registration server for tracking subscription information.

176. The system of claim 175, wherein the registration server  
2 provides the subscription information to the package delivery subsystem.

177. The system of claim 172, further comprising a cache hit tracker  
2 which receives usage reports from the receivers, wherein the usage reports  
contain information identifying which URL data items, from the set of URL  
4 data items received by the receiver, were accessed by a user.

178. The system of claim 177, wherein the cache hit tracker stores  
2 the usage reports in hit log files.

179. The system of claim 178, wherein the cache hit tracker provides  
2 the hit log files to the web sites from which the URL data items were retrieved.

180. The system of claim 172, wherein the multicast network  
2 multicasts the packets to the receiver over a one-way high speed link.

181. The system of claim 180, wherein the high speed link comprises  
2 a satellite link.

182 A system for multicasting content organized into channels to a  
2 plurality of receivers, wherein a channel's content includes a plurality of URL  
data items from at least one web site, comprising:  
4 a web crawler for retrieving the URL data items from the web site via a  
TCP/IP network and formatting the retrieved URL data items into packages;  
6 a package delivery subsystem for receiving the packages from the web  
crawler and fragmenting the packages into packets;  
8 a conditional access system for determining which receivers are  
authorized to receive the packets; and  
10 a multicast network for receiving the packets from the package delivery  
subsystem, wherein the conditional access system encrypts the packets and the  
12 multicast network multicasts the encrypted packets to the authorized receivers,  
and wherein the authorized receivers store the packets in a memory and  
14 decrypt the packets.

16 183. The system of claim 182, wherein the web crawler compresses a  
subset of the retrieved URL data items, and wherein each URL data item is  
18 compressed individually independent of other URL content such that the  
receiver can decompress each URL data item without decompressing other  
20 URL data items.

2 184. The system of claim 182, wherein the web crawler assembles a  
base package containing each URL data item in the channel and subsequently  
assembles a delta package containing URL data items which have changed or  
4 are new since the previous assembling of the base package.

2 185. The system of claim 184, wherein the web crawler assembles  
the base packages and delta packages according to a schedule.

186. The system of claim 184, wherein the multicast network  
2 multicasts the base packages and the delta packages according to a schedule.

187. The system of claim 186, wherein the base packages are  
2 scheduled for multicasting at a time when the receiver is not likely to be in use  
for other applications.

188. The system of claim 184, wherein the web crawler compresses a  
2 subset of the retrieved URL data items, and wherein each URL data item is  
compressed individually independent of other URL content such that the  
4 receiver can decompress each URL data item without decompressing other  
URL data items.

189. The system of claim 188, wherein the web crawler difference  
2 compresses a subset of the URL data items that are present in both the delta  
package and the previous base package.

190. The system of claim 189, wherein the web crawler performs  
2 difference compression by:  
dividing a URL data item in the delta package into sections; and  
4 for each section, places into a compressed version of the URL data  
item, one of a reference to where that section can be found in the base package,  
6 or the section of the URL data item from the delta package.

191. The system of claim 184, wherein the web crawler assembles a  
2 second delta package which contains URL data items which have changed  
since the assembling of the previous delta package.

192. The system of claim 182, wherein each receiver comprises a  
2 content viewer for allowing a user to access the stored URL data items.

193. The system of claim 192, further comprising a cache hit tracker  
2 which receives usage reports from the receivers, wherein the usage reports  
contain information identifying which URL data items, from the set of stored  
4 URL data items, was accessed by a user.

194. The system of claim 193, wherein the cache hit tracker provides  
2 the usage reports to the web sites from which the accessed URL data items  
were retrieved.

195. The system of claim 182, wherein the TCP/IP network  
2 comprises the Internet.

196. The system of claim 182, wherein the multicast network  
2 multicasts the packets to the receiver over a one-way high speed link.